

Table 32
Infant Death (Exclusive Of Stillbirths) by Selected Causes, Sex, Race, and Age
Louisiana, 2000

Cause Of Death And ICD-10 Code	Rate+	Race Sex	Total	Age at Death in Days					
				Under 1	1-6	7-13	14-20	21-27	28-364
CAUSE OF DEATH									
All causes	888.8	ALL	603	209	85	43	33	19	214
	628.7	WM	122	37	19	13	5	*	47
	539.4	WF	100	35	18	6	6	*	32
	1406.0	BM	201	71	28	12	8	8	74
	1233.0	BF	173	64	19	12	12	7	59
	672.0	OM	5	*	*	-	*	-	*
	244.5	OF	*	*	-	-	*	-	-
Certain infectious and parasitic diseases (A00-B99)	25.1	ALL	17	-	-	-	-	-	17
	5.2	WM	*	-	-	-	-	-	*
	16.2	WF	*	-	-	-	-	-	*
	55.9	BM	8	-	-	-	-	-	8
	35.6	BF	5	-	-	-	-	-	5
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Certain intestinal infectious diseases (A00-A08)	1.5	ALL	*	-	-	-	-	-	*
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	7.0	BM	*	-	-	-	-	-	*
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Diarrhea and gastroenteritis of presumed infectious origin (A09)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Tuberculosis (A16-A19)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Tetanus (A33,A35)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Diphtheria (A36)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Whooping cough (A37)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-

Table 32
Infant Death (Exclusive Of Stillbirths) by Selected Causes, Sex, Race, and Age
Louisiana, 2000

Cause Of Death And ICD-10 Code	Rate+	Race Sex	Total	Age at Death in Days					
				Under 1	1-6	7-13	14-20	21-27	28-364
Meningococcal infection (A39)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Septicemia (A40-A41)	11.8	ALL	8	-	-	-	-	-	8
	0.0	WM	-	-	-	-	-	-	-
	10.8	WF	*	-	-	-	-	-	*
	14.0	BM	*	-	-	-	-	-	*
	28.5	BF	*	-	-	-	-	-	*
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Congenital syphilis (A50)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Gonococcal infection (A54)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Viral diseases (A80-B34)	5.9	ALL	*	-	-	-	-	-	*
	5.2	WM	*	-	-	-	-	-	*
	0.0	WF	-	-	-	-	-	-	-
	14.0	BM	*	-	-	-	-	-	*
	7.1	BF	*	-	-	-	-	-	*
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Acute poliomyelitis (A80)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Varicella (chickenpox) (B01)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Measles (B05)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-

Table 32
Infant Death (Exclusive Of Stillbirths) by Selected Causes, Sex, Race, and Age
Louisiana, 2000

Cause Of Death And ICD-10 Code	Rate+	Race Sex	Total	Age at Death in Days					
				Under 1	1-6	7-13	14-20	21-27	28-364
Human immunodeficiency virus (HIV) disease (B20-B24)	1.5 0.0 0.0 7.0 0.0 0.0 0.0	ALL WM WF BM BF OM OF	*	-	-	-	-	-	*
Mumps (B26)	0.0 0.0 0.0 0.0 0.0 0.0 0.0	ALL WM WF BM BF OM OF	-	-	-	-	-	-	-
Other and unspecified viral diseases (A81-B00,B02-B04,B06- B19,B25,B27-B34)	4.4 5.2 0.0 7.0 7.1 0.0 0.0	ALL WM WF BM BF OM OF	*	-	-	-	-	-	*
Candidiasis (B37)	4.4 0.0 5.4 14.0 0.0 0.0 0.0	ALL WM WF BM BF OM OF	*	-	-	-	-	-	*
Malaria (B50-B54)	0.0 0.0 0.0 0.0 0.0 0.0 0.0	ALL WM WF BM BF OM OF	-	-	-	-	-	-	-
Pneumocystosis (B59)	0.0 0.0 0.0 0.0 0.0 0.0 0.0	ALL WM WF BM BF OM OF	-	-	-	-	-	-	-
Other and unspecified infectious and parasitic diseases and their sequelae (A20-A32,A38,A42- A49,A51-A53,A55-A79,B35-B36,B38- B49,B55-B58,B60-B99)	1.5 0.0 0.0 7.0 0.0 0.0 0.0	ALL WM WF BM BF OM OF	*	-	-	-	-	-	*
Neoplasms (C00-D48)	2.9 0.0 0.0 0.0 14.3 0.0 0.0	ALL WM WF BM BF OM OF	*	-	-	-	-	-	*

Table 32
Infant Death (Exclusive Of Stillbirths) by Selected Causes, Sex, Race, and Age
Louisiana, 2000

Cause Of Death And ICD-10 Code	Rate+	Race Sex	Total	Age at Death in Days					
				Under 1	1-6	7-13	14-20	21-27	28-364
Malignant neoplasms (C00-C97)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Hodgkin's disease and non-Hodgkin's lymphomas (C81-C85)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Leukemia (C91-C95)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Other and unspecified malignant neoplasms (C00-C80,C88,C90,C96-C97)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)	2.9	ALL	*	-	-	-	-	-	*
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	14.3	BF	*	-	-	-	-	-	*
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism (D50-D89)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Anemias (D50-D64)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Hemorrhagic conditions and other diseases of blood and blood-forming organs (D65-D76)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-

Table 32
Infant Death (Exclusive Of Stillbirths) by Selected Causes, Sex, Race, and Age
Louisiana, 2000

Cause Of Death And ICD-10 Code	Rate+	Race Sex	Total	Age at Death in Days					
				Under 1	1-6	7-13	14-20	21-27	28-364
Certain disorders involving the immune mechanism (D80-D89)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Endocrine, nutritional and metabolic diseases (E00-E88)	7.4	ALL	5	-	*	-	-	-	*
	5.2	WM	*	-	*	-	-	-	-
	10.8	WF	*	-	*	-	-	-	*
	7.0	BM	*	-	-	-	-	-	*
	0.0	BF	-	-	-	-	-	-	-
	134.4	OM	*	-	*	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Short stature, not elsewhere classified (E34.3)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Nutritional deficiencies (E40-E64)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Cystic fibrosis (E84)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Volume depletion, disorders of fluid, electrolyte and acid-base balance (E86-E87)	1.5	ALL	*	-	*	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	134.4	OM	*	-	*	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
All other endocrine, nutritional and metabolic diseases (E00-E32,E34.0-E34.2,E34.4-E34.9,E65-E83,E85,E88)	5.9	ALL	*	-	*	-	-	-	*
	5.2	WM	*	-	*	-	-	-	-
	10.8	WF	*	-	*	-	-	-	*
	7.0	BM	*	-	-	-	-	-	*
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Diseases of the nervous system (G00-G98)	16.2	ALL	11	-	-	-	*	-	10
	15.5	WM	*	-	-	-	-	-	*
	16.2	WF	*	-	-	-	-	-	*
	7.0	BM	*	-	-	-	-	-	*
	28.5	BF	*	-	-	-	*	-	*
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-

Table 32
Infant Death (Exclusive Of Stillbirths) by Selected Causes, Sex, Race, and Age
Louisiana, 2000

Cause Of Death And ICD-10 Code	Rate+	Race Sex	Total	Age at Death in Days					
				Under 1	1-6	7-13	14-20	21-27	28-364
Meningitis (G00,G03)	4.4	ALL	*	-	-	-	-	*	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	21.4	BF	*	-	-	-	*	-	*
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Infantile spinal muscular atrophy, type I (Werdnig- Hoffman) (G12.0)	1.5	ALL	*	-	-	-	-	-	*
	5.2	WM	*	-	-	-	-	-	*
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Infantile cerebral palsy (G80)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Anoxic brain damage, not elsewhere classified (G93.1)	1.5	ALL	*	-	-	-	-	-	*
	5.2	WM	*	-	-	-	-	-	*
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Other diseases of nervous system (G04,G06-G11,G12.1-G12.9,G20- G72,G81-G92,G93.0,G93.2- G93.9,G95-G98)	8.8	ALL	6	-	-	-	-	-	6
	5.2	WM	*	-	-	-	-	-	*
	16.2	WF	*	-	-	-	-	-	*
	7.0	BM	*	-	-	-	-	-	*
	7.1	BF	*	-	-	-	-	-	*
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Diseases of the ear and mastoid process (H60-H93)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Diseases of the circulatory system (I00-I99)	13.3	ALL	9	-	*	*	*	-	*
	10.3	WM	*	-	*	-	-	-	*
	0.0	WF	-	-	-	-	-	-	-
	35.0	BM	5	-	*	*	*	-	*
	14.3	BF	*	-	-	-	-	-	*
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)	4.4	ALL	*	-	*	-	*	-	-
	5.2	WM	*	-	*	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	14.0	BM	*	-	*	-	*	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-

Table 32
Infant Death (Exclusive Of Stillbirths) by Selected Causes, Sex, Race, and Age
Louisiana, 2000

Cause Of Death And ICD-10 Code	Rate+	Race Sex	Total	Age at Death in Days					
				Under 1	1-6	7-13	14-20	21-27	28-364
Pericarditis, endocarditis and myocarditis (I30,I33,I40)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Cardiomyopathy (I42)	1.5	ALL	*	-	-	-	-	-	*
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	7.1	BF	*	-	-	-	-	-	*
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Cardiac arrest (I46)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Cerebrovascular diseases (I60- I69)	1.5	ALL	*	-	-	-	-	-	*
	5.2	WM	*	-	-	-	-	-	*
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
All other diseases of circulatory system (I00- I25,I31,I34-I38,I44-I45,I47- I51,I70-I99)	5.9	ALL	*	-	*	*	-	-	*
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	21.0	BM	*	-	*	*	-	-	*
	7.1	BF	*	-	-	-	-	-	*
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Diseases of the respiratory system (J00-J98)	35.4	ALL	24	-	-	-	-	-	24
	30.9	WM	6	-	-	-	-	-	6
	0.0	WF	-	-	-	-	-	-	-
	83.9	BM	12	-	-	-	-	-	12
	42.8	BF	6	-	-	-	-	-	6
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Acute upper respiratory infections (J00-J06)	1.5	ALL	*	-	-	-	-	-	*
	5.2	WM	*	-	-	-	-	-	*
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Influenza and pneumonia (J10- J18)	17.7	ALL	12	-	-	-	-	-	12
	10.3	WM	*	-	-	-	-	-	*
	0.0	WF	-	-	-	-	-	-	-
	55.9	BM	8	-	-	-	-	-	8
	14.3	BF	*	-	-	-	-	-	*
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-

Table 32
Infant Death (Exclusive Of Stillbirths) by Selected Causes, Sex, Race, and Age
Louisiana, 2000

Cause Of Death And ICD-10 Code	Rate+	Race Sex	Total	Age at Death in Days					
				Under 1	1-6	7-13	14-20	21-27	28-364
Influenza (J10-J11)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Pneumonia (J12-J18)	17.7	ALL	12	-	-	-	-	-	12
	10.3	WM	*	-	-	-	-	-	*
	0.0	WF	-	-	-	-	-	-	-
	55.9	BM	8	-	-	-	-	-	8
	14.3	BF	*	-	-	-	-	-	*
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Acute bronchitis and acute bronchiolitis (J20-J21)	1.5	ALL	*	-	-	-	-	-	*
	5.2	WM	*	-	-	-	-	-	*
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Bronchitis, chronic and unspecified (J40-J42)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Asthma (J45-J46)	1.5	ALL	*	-	-	-	-	-	*
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	7.0	BM	*	-	-	-	-	-	*
	-	BF	-	-	-	-	-	-	-
	-	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
Pneumonitis due to solids and liquids (J69)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Other and unspecified diseases of respiratory system (J22,J30- J39,J43-J44,J47-J68,J70-J98)	13.3	ALL	9	-	-	-	-	-	9
	10.3	WM	*	-	-	-	-	-	*
	0.0	WF	-	-	-	-	-	-	-
	21.0	BM	*	-	-	-	-	-	*
	28.5	BF	*	-	-	-	-	-	*
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Diseases of the digestive system (K00-K92)	16.2	ALL	11	-	-	-	*	-	10
	10.3	WM	*	-	-	-	-	-	*
	0.0	WF	-	-	-	-	-	-	-
	21.0	BM	*	-	-	-	-	-	*
	42.8	BF	6	-	-	-	*	-	5
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-

Table 32
Infant Death (Exclusive Of Stillbirths) by Selected Causes, Sex, Race, and Age
Louisiana, 2000

Cause Of Death And ICD-10 Code	Rate+	Race Sex	Total	Age at Death in Days					
				Under 1	1-6	7-13	14-20	21-27	28-364
Gastritis, duodenitis, and noninfective enteritis and colitis (K29,K50-K55)	7.4	ALL	5	-	-	-	-	-	5
	0.0	WM		-	-	-	-	-	-
	0.0	WF		-	-	-	-	-	-
	7.0	BM		*	-	-	-	-	*
	28.5	BF		*	-	-	-	-	*
	0.0	OM		-	-	-	-	-	-
	0.0	OF		-	-	-	-	-	-
Hernia of abdominal cavity and intestinal obstruction without hernia (K40-K46,K56)	1.5	ALL	*	-	-	-	-	-	*
	5.2	WM		*	-	-	-	-	*
	0.0	WF		-	-	-	-	-	-
	0.0	BM		-	-	-	-	-	-
	0.0	BF		-	-	-	-	-	-
	0.0	OM		-	-	-	-	-	-
	0.0	OF		-	-	-	-	-	-
All other and unspecified diseases of digestive system (K00-K28,K30-K38,K57-K92)	7.4	ALL	5	-	-	-	*	-	*
	5.2	WM		*	-	-	-	-	*
	0.0	WF		-	-	-	-	-	-
	14.0	BM		*	-	-	-	-	*
	14.3	BF		*	-	-	*	-	*
	0.0	OM		-	-	-	-	-	-
	0.0	OF		-	-	-	-	-	-
Diseases of the genitourinary system (N00-N98)	1.5	ALL	*	-	-	*	-	-	-
	0.0	WM		-	-	-	-	-	-
	0.0	WF		-	-	-	-	-	-
	7.0	BM		*	-	*	-	-	-
	0.0	BF		-	-	-	-	-	-
	0.0	OM		-	-	-	-	-	-
	0.0	OF		-	-	-	-	-	-
Renal failure and other disorders of kidney (N17- N19,N25,N27)	1.5	ALL	*	-	-	*	-	-	-
	0.0	WM		-	-	-	-	-	-
	0.0	WF		-	-	-	-	-	-
	7.0	BM		*	-	*	-	-	-
	0.0	BF		-	-	-	-	-	-
	0.0	OM		-	-	-	-	-	-
	0.0	OF		-	-	-	-	-	-
Other and unspecified diseases of genitourinary system (N00- N15,N20-N23,N26,N28-N98)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM		-	-	-	-	-	-
	0.0	WF		-	-	-	-	-	-
	0.0	BM		-	-	-	-	-	-
	0.0	BF		-	-	-	-	-	-
	0.0	OM		-	-	-	-	-	-
	0.0	OF		-	-	-	-	-	-
Certain conditions originating in the perinatal period (P00- P96)	423.0	ALL	287	163	51	23	21	12	17
	226.7	WM		44	19	11	6	*	*
	226.5	WF		42	24	7	*	5	*
	748.2	BM		107	63	19	7	5	8
	641.3	BF		90	55	14	8	6	*
	403.2	OM		*	*	-	*	-	*
	122.2	OF		*	*	-	-	-	-
Newborn affected by maternal factors and by complications of pregnancy, labor and delivery (P00-P04)	61.9	ALL	42	33	*	*	*	*	*
	10.3	WM		*	*	*	-	-	-
	32.4	WF		6	5	-	*	-	-
	111.9	BM		16	13	*	*	*	-
	121.1	BF		17	13	*	*	*	*
	134.4	OM		*	*	-	-	-	-
	0.0	OF		-	-	-	-	-	-

Table 32
Infant Death (Exclusive Of Stillbirths) by Selected Causes, Sex, Race, and Age
Louisiana, 2000

Cause Of Death And ICD-10 Code	Rate+	Race Sex	Total	Age at Death in Days					
				Under 1	1-6	7-13	14-20	21-27	28-364
Newborn affected by maternal hypertensive disorders (P00.0)	1.5	ALL	*	-	-	-	-	*	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	7.1	BF	*	-	-	-	-	*	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Newborn affected by other maternal conditions which may be unrelated to present pregnancy (P00.1-P00.9)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Newborn affected by maternal complications of pregnancy (P01)	35.4	ALL	24	23	*	-	-	-	-
	5.2	WM	*	-	*	-	-	-	-
	16.2	WF	*	*	-	-	-	-	-
	83.9	BM	12	12	-	-	-	-	-
	57.0	BF	8	8	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Newborn affected by incompetent cervix (P01.0)	8.8	ALL	6	6	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	21.0	BM	*	*	-	-	-	-	-
	21.4	BF	*	*	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Newborn affected by premature rupture of membranes (P01.1)	25.1	ALL	17	17	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	16.2	WF	*	*	-	-	-	-	-
	62.9	BM	9	9	-	-	-	-	-
	35.6	BF	5	5	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Newborn affected by multiple pregnancy (P01.5)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Newborn affected by other maternal complications of pregnancy (P01.2-P01.4,P01.6-P01.9)	1.5	ALL	*	-	*	-	-	-	-
	5.2	WM	*	-	*	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Newborn affected by complications of placenta, cord and membranes (P02)	20.6	ALL	14	9	*	*	-	-	*
	5.2	WM	*	*	-	-	-	-	-
	16.2	WF	*	*	-	*	-	-	-
	14.0	BM	*	*	-	*	-	-	-
	57.0	BF	8	5	*	*	-	-	*
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-

Table 32
Infant Death (Exclusive Of Stillbirths) by Selected Causes, Sex, Race, and Age
Louisiana, 2000

Cause Of Death And ICD-10 Code	Rate+	Race Sex	Total	Age at Death in Days					
				Under 1	1-6	7-13	14-20	21-27	28-364
Newborn affected by complications involving placenta (P02.0-P02.3)	11.8	ALL	8	5	-	*	-	-	*
	5.2	WM		*	*	-	-	-	-
	16.2	WF		*	*	-	*	-	-
	0.0	BM		-	-	-	-	-	-
	28.5	BF		*	*	-	*	-	*
	0.0	OM		-	-	-	-	-	-
	0.0	OF		-	-	-	-	-	-
Newborn affected by complications involving cord (P02.4-P02.6)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM		-	-	-	-	-	-
	0.0	WF		-	-	-	-	-	-
	0.0	BM		-	-	-	-	-	-
	0.0	BF		-	-	-	-	-	-
	0.0	OM		-	-	-	-	-	-
	0.0	OF		-	-	-	-	-	-
Newborn affected by chorioamnionitis (P02.7)	8.8	ALL	6	*	*	*	-	-	-
	0.0	WM		-	-	-	-	-	-
	0.0	WF		-	-	-	-	-	-
	14.0	BM		*	*	-	*	-	-
	28.5	BF		*	*	*	-	-	-
	0.0	OM		-	-	-	-	-	-
	0.0	OF		-	-	-	-	-	-
Newborn affected by other and unspecified abnormalities of membranes (P02.8-P02.9)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM		-	-	-	-	-	-
	0.0	WF		-	-	-	-	-	-
	0.0	BM		-	-	-	-	-	-
	0.0	BF		-	-	-	-	-	-
	0.0	OM		-	-	-	-	-	-
	0.0	OF		-	-	-	-	-	-
Newborn affected by other complications of labor and delivery (P03)	2.9	ALL	-	*	*	-	-	*	-
	0.0	WM		-	-	-	-	-	-
	0.0	WF		-	-	-	-	-	-
	7.0	BM		*	-	-	-	*	-
	0.0	BF		-	-	-	-	-	-
	134.4	OM		*	*	-	-	-	-
	0.0	OF		-	-	-	-	-	-
Newborn affected by noxious influences transmitted via placenta or breast milk (P04)	1.5	ALL	-	*	-	*	-	-	-
	0.0	WM		-	-	-	-	-	-
	0.0	WF		-	-	-	-	-	-
	7.0	BM		*	-	*	-	-	-
	0.0	BF		-	-	-	-	-	-
	0.0	OM		-	-	-	-	-	-
	0.0	OF		-	-	-	-	-	-
Disorders related to length of gestation and fetal malnutrition (P05-P08)	160.7	ALL	109	85	12	*	*	*	*
	82.4	WM		16	9	*	*	*	-
	75.5	WF		14	12	*	-	-	-
	258.7	BM		37	32	*	-	*	-
	285.0	BF		40	31	*	*	*	*
	134.4	OM		*	-	-	-	-	*
	122.2	OF		*	*	-	-	-	-
Slow fetal growth and fetal malnutrition (P05)	2.9	ALL	-	*	*	-	*	-	-
	5.2	WM		*	-	-	*	-	-
	5.4	WF		*	*	-	-	-	-
	0.0	BM		-	-	-	-	-	-
	0.0	BF		-	-	-	-	-	-
	0.0	OM		-	-	-	-	-	-
	0.0	OF		-	-	-	-	-	-

Table 32
Infant Death (Exclusive Of Stillbirths) by Selected Causes, Sex, Race, and Age
Louisiana, 2000

Cause Of Death And ICD-10 Code	Rate+	Race Sex	Total	Age at Death in Days					
				Under 1	1-6	7-13	14-20	21-27	28-364
Disorders related to short gestation and low birth weight, not elsewhere classified (P07)	157.7	ALL	107	84	12	*	*	*	*
	77.3	WM	15	9	*	*	*	-	-
	70.1	WF	13	11	*	-	-	-	-
	258.7	BM	37	32	*	-	-	*	-
	285.0	BF	40	31	*	*	*	*	*
	134.4	OM	*	-	-	-	-	-	*
Extremely low birth weight or extreme immaturity (P07.0,P07.2)	122.3	ALL	83	65	9	*	*	*	*
	56.7	WM	11	6	*	*	*	-	-
	53.9	WF	10	9	*	-	-	-	-
	209.8	BM	30	26	*	-	-	*	-
	220.9	BF	31	23	*	*	-	*	*
	0.0	OM	-	-	-	-	-	-	-
Other low birth weight or preterm (P07.1,P07.3)	35.4	ALL	24	19	*	-	*	-	*
	20.6	WM	*	*	*	-	-	-	-
	16.2	WF	*	*	*	-	-	-	-
	48.9	BM	7	6	*	-	-	-	-
	64.1	BF	9	8	-	-	*	-	-
	134.4	OM	*	-	-	-	-	-	*
Disorders related to long gestation and high birth weight (P08)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
Birth trauma (P10-P15)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
Intrauterine hypoxia and birth asphyxia (P20-P21)	17.7	ALL	12	*	*	*	*	-	*
	10.3	WM	*	-	*	-	*	-	-
	0.0	WF	-	-	-	-	-	-	-
	42.0	BM	6	*	*	*	*	-	*
	28.5	BF	*	*	*	*	*	-	-
	0.0	OM	-	-	-	-	-	-	-
Intrauterine hypoxia (P20)	0.0	OF	-	-	-	-	-	-	-
	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
Birth asphyxia (P21)	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-

Table 32
Infant Death (Exclusive Of Stillbirths) by Selected Causes, Sex, Race, and Age
Louisiana, 2000

Cause Of Death And ICD-10 Code	Rate+	Race Sex	Total	Age at Death in Days					
				Under 1	1-6	7-13	14-20	21-27	28-364
Respiratory distress of newborn (P22)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Other respiratory conditions originating in the perinatal period (P23-P28)	57.5	ALL	39	16	9	*	*	-	7
	46.4	WM	9	*	*	*	-	-	*
	32.4	WF	6	-	*	-	*	-	*
	111.9	BM	16	7	*	*	*	-	*
	57.0	BF	8	5	-	*	-	-	*
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Congenital pneumonia (P23)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Neonatal aspiration syndromes (P24)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Interstitial emphysema and related conditions originating in the perinatal period (P25)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Pulmonary hemorrhage originating in the perinatal period (P26)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Chronic respiratory disease originating in the perinatal period (P27)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Atelectasis (P28.0-P28.1)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-

Table 32
Infant Death (Exclusive Of Stillbirths) by Selected Causes, Sex, Race, and Age
Louisiana, 2000

Cause Of Death And ICD-10 Code	Rate+	Race Sex	Total	Age at Death in Days					
				Under 1	1-6	7-13	14-20	21-27	28-364
All other respiratory conditions originating in the perinatal period (P28.2-P28.9)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Infections specific to the perinatal period (P35-P39)	22.1	ALL	15	*	*	*	5	*	-
	10.3	WM	*	*	-	*	-	-	-
	16.2	WF	*	*	-	-	*	-	-
	35.0	BM	5	-	-	*	*	*	-
	35.6	BF	5	*	*	*	*	*	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Bacterial sepsis of newborn (P36)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Omphalitis of newborn with or without mild hemorrhage (P38)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
All other infections specific to the perinatal period (P35,P37,P39)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Hemorrhagic and hematological disorders of newborn (P50-P61)	19.2	ALL	13	*	6	*	*	*	-
	15.5	WM	*	*	*	-	*	-	-
	21.6	WF	*	*	*	-	-	*	-
	7.0	BM	*	-	*	-	-	-	-
	35.6	BF	5	*	*	*	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Neonatal hemorrhage (P50-P52,P54)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Hemorrhagic disease of newborn (P53)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-

Table 32
Infant Death (Exclusive Of Stillbirths) by Selected Causes, Sex, Race, and Age
Louisiana, 2000

Cause Of Death And ICD-10 Code	Rate+	Race Sex	Total	Age at Death in Days					
				Under 1	1-6	7-13	14-20	21-27	28-364
Hemolytic disease of newborn due to isoimmunization and other perinatal jaundice (P55-P59)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Hematological disorders (P60-P61)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Syndrome of infant of a diabetic mother and neonatal diabetes mellitus (P70.0-P70.2)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Necrotizing enterocolitis of newborn (P77)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Hydrops fetalis not due to hemolytic disease (P83.2)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Other perinatal conditions (P29,P70.3-P70.9,P71-P76,P78-P81,P83.0-P83.1,P83.3-P83.9,P90-P96)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	203.4	ALL	138	43	28	17	7	*	40
	206.1	WM	40	17	6	7	*	-	9
	183.4	WF	34	10	10	*	*	-	9
	223.8	BM	32	8	7	*	*	*	11
	220.9	BF	31	8	5	*	*	*	11
	0.0	OM	-	-	-	-	-	-	-
	122.2	OF	*	-	-	*	-	-	-
Anencephaly and similar malformations (Q00)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-

Table 32
Infant Death (Exclusive Of Stillbirths) by Selected Causes, Sex, Race, and Age
Louisiana, 2000

Cause Of Death And ICD-10 Code	Rate+	Race Sex	Total	Age at Death in Days					
				Under 1	1-6	7-13	14-20	21-27	28-364
Congenital hydrocephalus (Q03)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Spina bifida (Q05)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Other congenital malformations of nervous system (Q01- Q02,Q04,Q06-Q07)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Congenital malformations of heart (Q20-Q24)	59.0	ALL	40	*	10	6	5	*	15
	46.4	WM	9	*	*	*	*	-	*
	59.3	WF	11	*	*	*	*	-	5
	83.9	BM	12	-	5	-	*	*	*
	49.9	BF	7	-	-	*	*	-	*
	0.0	OM	-	-	-	-	-	-	-
	122.2	OF	*	-	-	-	*	-	-
Other congenital malformations of circulatory system (Q25-Q28)	13.3	ALL	9	*	*	*	-	-	*
	15.5	WM	*	-	-	*	-	-	*
	16.2	WF	*	*	*	*	-	-	-
	7.0	BM	*	*	-	-	-	-	-
	14.3	BF	*	-	*	*	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Congenital malformations of respiratory system (Q30-Q34)	20.6	ALL	14	10	*	-	*	-	*
	25.8	WM	5	*	*	-	-	-	*
	10.8	WF	*	*	*	-	-	-	-
	28	BM	*	*	-	-	-	-	-
	21.4	BF	*	*	-	-	*	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Congenital malformations of digestive system (Q35-Q45)	4.4	ALL	*	-	-	-	-	-	*
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	7.0	BM	*	-	-	-	-	-	*
	14.3	BF	*	-	-	-	-	-	*
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Congenital malformations of genitourinary system (Q50-Q64)	22.1	ALL	15	14	*	-	-	-	-
	36.1	WM	7	7	-	-	-	-	-
	16.2	WF	*	*	-	-	-	-	-
	14.0	BM	*	*	-	-	-	-	-
	21.4	BF	*	*	*	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-

Table 32
Infant Death (Exclusive Of Stillbirths) by Selected Causes, Sex, Race, and Age
Louisiana, 2000

Cause Of Death And ICD-10 Code	Rate+	Race Sex	Total	Age at Death in Days					
				Under 1	1-6	7-13	14-20	21-27	28-364
Congenital malformations and deformations of musculoskeletal system, limbs and integument (Q65-Q85)	8.8	ALL	6	*	*	-	*	*	*
	0.0	WM	-	-	-	-	-	-	-
	21.6	WF	*	*	*	-	*	-	*
	7.0	BM	*	-	-	-	-	-	*
	7.1	BF	*	-	-	-	-	*	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Down's syndrome (Q90)	2.9	ALL	*	-	*	-	-	-	*
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	7.0	BM	*	-	-	-	-	-	*
	7.1	BF	*	-	*	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Edward's syndrome (Q91.0-Q91.3)	14.7	ALL	10	*	*	*	-	-	5
	5.2	WM	*	*	-	-	-	-	-
	21.6	WF	*	-	*	-	-	-	*
	28	BM	*	-	*	*	-	-	*
	7.1	BF	*	-	-	-	-	-	*
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Patau's syndrome (Q91.4-Q91.7)	5.9	ALL	*	-	-	*	-	-	*
	10.3	WM	*	-	-	*	-	-	*
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	14.3	BF	*	-	-	-	-	-	*
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Other congenital malformations and deformations (Q10-Q18,Q86-Q89)	247.6	ALL	168	57	44	21	18	7	21
	195.8	WM	38	14	9	6	*	*	5
	151.0	WF	28	10	7	*	5	*	*
	412.6	BM	59	18	16	7	5	*	11
	299.3	BF	42	15	12	6	*	*	*
	134.4	OM	*	-	-	*	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Other chromosomal abnormalities, not elsewhere classified (Q92-Q99)	4.4	ALL	*	*	-	*	-	-	*
	5.2	WM	*	-	-	*	-	-	-
	5.4	WF	*	-	-	-	-	-	*
	7.0	BM	*	*	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)	97.3	ALL	66	*	-	*	*	*	58
	92.8	WM	18	*	-	-	-	-	17
	70.1	WF	13	*	-	-	-	-	12
	139.9	BM	20	-	-	*	-	*	18
	99.8	BF	14	-	-	-	*	*	10
	134.4	OM	*	-	-	-	-	-	*
	0.0	OF	-	-	-	-	-	-	-
Sudden infant death syndrome (R95)	81.1	ALL	55	-	-	-	*	*	52
	72.1	WM	14	-	-	-	-	-	14
	59.3	WF	11	-	-	-	-	-	11
	125.9	BM	18	-	-	-	-	*	17
	78.4	BF	11	-	-	-	*	*	9
	134.4	OM	*	-	-	-	-	-	*
	0.0	OF	-	-	-	-	-	-	-

Table 32
Infant Death (Exclusive Of Stillbirths) by Selected Causes, Sex, Race, and Age
Louisiana, 2000

Cause Of Death And ICD-10 Code	Rate+	Race Sex	Total	Age at Death in Days					
				Under 1	1-6	7-13	14-20	21-27	28-364
Other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94,R96- R99)	16.2	ALL	11	*	-	*	*	*	6
	20.6	WM	-	*	*	-	-	-	*
	10.8	WF	-	*	*	-	-	-	*
	14.0	BM	-	*	-	-	*	-	*
	21.4	BF	-	*	-	-	*	*	*
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
All other diseases (Residual) (F01-F99,H00-H57,L00-M99)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
External causes of mortality (V01-Y89)	47.2	ALL	32	*	-	-	-	*	30
	25.8	WM	5	-	-	-	-	-	5
	16.2	WF	-	*	-	-	-	-	*
	76.9	BM	11	-	-	-	-	-	11
	92.6	BF	13	*	-	-	-	*	11
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Accidents (V01-X59,Y85-Y86)	29.5	ALL	20	-	-	-	-	-	20
	10.3	WM	-	*	-	-	-	-	*
	10.8	WF	-	*	-	-	-	-	*
	62.9	BM	9	-	-	-	-	-	9
	49.9	BF	7	-	-	-	-	-	7
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Transport accidents (V01- V99,Y85)	7.4	ALL	5	-	-	-	-	-	5
	5.2	WM	-	*	-	-	-	-	*
	5.4	WF	-	*	-	-	-	-	*
	21.0	BM	-	*	-	-	-	-	*
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Motor vehicle accidents (V02- V04,V09.0,V09.2,V12-V14,V19.0- V19.2,V19.4-V19.6,V20-V79, V80.3-V80.5,V81.0-V81.1,V82.0- V82.1,V83-V86,V87.0-V87.8, V88.0-V88.8,V89.0,V89.2)	7.4	ALL	5	-	-	-	-	-	5
	5.2	WM	-	*	-	-	-	-	*
	5.4	WF	-	*	-	-	-	-	*
	21	BM	-	*	-	-	-	-	*
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Other and unspecified transport accidents & their sequelae (V01, V05-V06,V09.1,V09.3-V09.9,V10- V11,V15-V18,V19.3,V19.8-V19.9, V80.0-V80.2,V80.6-V80.9,V81.2- V81.9,V82.2-V82.9,V87.9,V88.9, V89.1,V89.3,V89.9,V90-V99,Y85)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Falls (W00-W19)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-

Table 32
Infant Death (Exclusive Of Stillbirths) by Selected Causes, Sex, Race, and Age
Louisiana, 2000

Cause Of Death And ICD-10 Code	Rate+	Race Sex	Total	Age at Death in Days					
				Under 1	1-6	7-13	14-20	21-27	28-364
Accidental discharge of firearms (W32-W34)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Accidental drowning and submersion (W65-W74)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Accidental suffocation and strangulation in bed (W75)	1.5	ALL	*	-	-	-	-	-	*
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	7.0	BM	*	-	-	-	-	-	*
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Other accidental suffocation and strangulation (W76-W77,W81-W84)	8.8	ALL	6	-	-	-	-	-	6
	5.2	WM	*	-	-	-	-	-	*
	0.0	WF	-	-	-	-	-	-	-
	21	BM	*	-	-	-	-	-	*
	14.3	BF	*	-	-	-	-	-	*
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract (W78-W80)	10.3	ALL	7	-	-	-	-	-	7
	0.0	WM	-	-	-	-	-	-	-
	5.4	WF	*	-	-	-	-	-	*
	7.0	BM	*	-	-	-	-	-	*
	35.6	BF	5	-	-	-	-	-	5
	0.0	OM	-	-	-	-	-	-	-
	-	OF	-	-	-	-	-	-	-
Accidents caused by exposure to smoke, fire and flames (X00-X09)	1.5	ALL	*	-	-	-	-	-	*
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	7.0	BM	*	-	-	-	-	-	*
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Accidental poisoning and exposure to noxious substances (X40-X49)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-
Other and unspecified accidents and their sequelae (W20-W31,W35- W64,W85-W99,X10-X39,X50-X59,Y86)	0.0	ALL	-	-	-	-	-	-	-
	0.0	WM	-	-	-	-	-	-	-
	0.0	WF	-	-	-	-	-	-	-
	0.0	BM	-	-	-	-	-	-	-
	0.0	BF	-	-	-	-	-	-	-
	0.0	OM	-	-	-	-	-	-	-
	0.0	OF	-	-	-	-	-	-	-

Table 32
Infant Death (Exclusive Of Stillbirths) by Selected Causes, Sex, Race, and Age
Louisiana, 2000

Cause Of Death And ICD-10 Code	Rate+	Race Sex	Total	Age at Death in Days					
				Under 1	1-6	7-13	14-20	21-27	28-364
Assault (homicide) (X85-Y09,Y87.1)	13.3	ALL	9	*	-	-	-	*	7
	15.5	WM		*	-	-	-	-	*
	0.0	WF		-	-	-	-	-	-
	14.0	BM		*	-	-	-	-	*
	28.5	BF		*	*	-	-	*	*
	0.0	OM		-	-	-	-	-	-
Assault (homicide) by hanging, strangulation and suffocation (X91)	1.5	ALL		*	-	-	-	*	-
	0.0	WM		-	-	-	-	-	-
	0.0	WF		-	-	-	-	-	-
	0.0	BM		-	-	-	-	-	-
	7.1	BF		*	-	-	-	*	-
	0.0	OM		-	-	-	-	-	-
Assault (homicide) by discharge of firearms (X93-X95)	1.5	ALL		*	-	-	-	-	*
	0.0	WM		-	-	-	-	-	-
	0.0	WF		-	-	-	-	-	-
	7.0	BM		*	-	-	-	-	*
	0.0	BF		-	-	-	-	-	-
	0.0	OM		-	-	-	-	-	-
Neglect, abandonment and other maltreatment syndromes (Y06-Y07)	7.4	ALL	5	*	-	-	-	-	*
	10.3	WM		*	-	-	-	-	*
	0.0	WF		-	-	-	-	-	-
	0.0	BM		-	-	-	-	-	-
	21.4	BF		*	*	-	-	-	*
	0.0	OM		-	-	-	-	-	-
Assault (homicide) by other and unspecified means and their sequelae (X85-X90,X92,X96- X99,Y00-Y05,Y08-Y09,Y87.1)	2.9	ALL		*	-	-	-	-	*
	5.2	WM		*	-	-	-	-	*
	0.0	WF		-	-	-	-	-	-
	7.0	BM		*	-	-	-	-	*
	0.0	BF		-	-	-	-	-	-
	0.0	OM		-	-	-	-	-	-
Complications of medical and surgical care (Y40-Y84,Y88)	1.5	ALL		*	-	-	-	-	*
	0.0	WM		-	-	-	-	-	-
	0.0	WF		-	-	-	-	-	-
	0.0	BM		-	-	-	-	-	-
	7.1	BF		*	-	-	-	-	*
	0.0	OM		-	-	-	-	-	-
Other external causes and their sequelae (X60-X84,Y10- Y36,Y87.0,Y87.2,Y89)	2.9	ALL		*	-	-	-	-	*
	0.0	WM		-	-	-	-	-	-
	5.4	WF		*	-	-	-	-	*
	0.0	BM		-	-	-	-	-	-
	7.1	BF		*	-	-	-	-	*
	0.0	OM		-	-	-	-	-	-
	0.0	OF		-	-	-	-	-	-

+Rate per 100,000 live births

** in cell indicates count greater than 0 and less than 5.

- zero counts observed